

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	("20030110240".pn. "6865673".pn.) and (empty open\$4 time occup\$4 full)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 09:02
L2	0	("20030110240".pn. "6865673".pn.) and ("routing table" same "mac address\$2")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 09:09
L3	1	("20030110240".pn. "6865673".pn.) and ("routing table" same ("mac address" "mac addresses"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 09:09
L4	1	("20030110240".pn. "6865673".pn.) and ("routing table")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 09:28
L5	2	("20030110240".pn. "6865673".pn.) and ("management system")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 09:31
L6	2708	((home near2 network) and ((device apparatus appliance) near regist\$7))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 09:44
L7	919	l6 and ((system network) near (administ\$7 manage\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 09:46
L8	297	("media access control list" "medium access control list" "mac list" "mac address list")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 09:48

L9	1	I7 and I8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 09:48
L10	40750	("media access control" "medium access control" "mac list" "mac address list")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 09:49
L11	208	I7 and I10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 09:49
L12	35	I11 and ("empty slot" "open slot" "available slot" opening) (empty open available) near (place spot))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 09:50
L13	35	I12 and (list\$3 table chart)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 10:01
S1	5156	709/221,225.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 17:22
S2	20858	(register\$3 registrat\$3) near2 (network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 17:25
S3	258	S1 and S2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 17:25
S4	539	("universal plug n play" "universal plug and play" upnp) and (mac "media access control")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 17:26

S5	3	S3 and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 17:27
S6	141945	access\$3 near2 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 17:28
S7	154284	(S2 S6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 17:28
S8	2008	S1 and S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 17:29
S9	20	S4 and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 17:29
S10	3150	("universal plug n play" "universal plug and play" upnp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 17:29
S11	112954	(mac "media access control")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 17:30
S12	437	(S10 S11) and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 17:31
S13	1046	(mac "medi\$2 access control \$3") adj address\$2 near2 (list\$3 catalog record directory file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 14:06

S14	18226	((register\$3 configur\$5 initializ \$5) near2 (network)).ti. ((register\$3 configur\$5 initializ \$5) near2 (network)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 14:09
S15	5738	((register\$3) near3 (network)). ti. ((register\$3) near3 (network)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 14:10
S16	16	S13 and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 14:10
S17	66	S13 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 14:52
S18	4	((open available) near slot) with "mac address"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 15:14
S19	15	(slot opening) near2 (mac "medi \$2 access control\$3") adj address\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 15:18
S20	876	(slot opening) near1 (list catalog directory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 15:24
S21	1	S15 and S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 15:24
S22	8	S14 and S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 15:24

S23	177	"mac address list"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 15:29
S24	712	(mac "medi\$2 access control\$3" "media access code") adj address\$2 near1 (list\$3 catalog record directory file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 15:30
S25	45	S14 and S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 15:31
S26	6	("20040054926" "20030189905" "20030110240").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 16:07
S27	2	S26 and (slot opening port)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/18 16:09
S28	2	"20030110240".pn. and (threshold "time limit" data "not registration")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 17:51
S29	0	"20030110240".pn. and (upnp "plug and play")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 17:55
S30	0	"20030110240".pn. and (key unique)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 17:55
S31	1	"20030189905".pn. and ("plug and play" key unique threshold "time limit")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/22 18:01

S32	1	"20030189905".pn. and ("plug and play" key unique threshold "time limit")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 18:04
S33	0	"20030189905".pn. and "plug and play"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 18:05
S34	1	"20030189905".pn. and plug	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 18:06
S35	2	"6865673".pn. and (key plug unique time threshold)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 18:19
S36	0	("20030189905" "6865673").pn. and (content directory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 19:19
S37	0	("20030189905" "6865673").pn. and (service)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 19:19
S38	341	"content directory service"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 19:20
S39	5159	709/221,225.ocds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 19:20
S40	12	S39 and S38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 19:20

S41	0	"mac list" with (available open) same register\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 18:29
S42	9	("media access control list" "medium access control list" "mac list") same register\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 18:31
S43	1041432	@pd>="20090701" @pppd>="20090701"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 18:34
S44	414	"content directory service"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 18:34
S45	6046	709/221,225.cdis.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 18:34
S46	15	S45 and S44	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 18:34
S47	1	S46 and S43	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 18:34
S48	13	("mac address list") same register\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 18:35
S49	16	("mac address list") same (register\$3 registration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 18:36

S50	8	("media access control list" "medium access control list" "mac list") same registration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 18:37
S51	24388	(register\$3 registrat\$3) near2 (network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 18:41
S52	2974	S51 and ("empty slot" "open slot" "available slot" opening) (empty open available) near (place spot))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 18:41
S53	1449621	(Register\$3 registration initializ \$5 configur\$5).ti. (Register\$3 registration initializ\$5 configur \$5).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 18:43
S54	843	S52 and S53	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 18:43
S55	297	("media access control list" "medium access control list" "mac list" "mac address list")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 18:44
S56	0	S54 and S55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 18:44
S57	0	S54 and ("period of time" "amount of time")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 18:46
S58	803	S54 and time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 18:46

EAST Search History (Interference)

< This search history is empty >

12/ 16/ 2009 10:36:45 AM

C:\ Documents and Settings\ jseto\ My Documents\ EAST\ Workspaces\ 10535183.wsp